



موسسه آموزش عالی غیردولتی غیرانتفاعی بصیر بکیر

OPERATING SYSTEMS

Basir University, 2020-2021

By: [Prof. Dr. Mohammad Hajarian](#)

- Session 2


OPERATING-SYSTEM STRUCTURES



موسسه آموزش عالی غیردولتی غیرانتفاعی بصیرتک

OPERATING SYSTEM SERVICES

A VIEW OF OPERATING SYSTEM SERVICES



OPERATING SYSTEM SERVICES

- One set of operating-system services provides functions that are helpful to the user:
 - User interface - Almost all operating systems have a user interface (UI)
 - Varies between [Command-Line \(CLI\)](#), [Graphics User Interface \(GUI\)](#), [Batch](#)
 - Program execution - The system must be able to load a program into memory and to run that program, end execution, either normally or abnormally (indicating error)
 - I/O operations - A running program may require I/O, which may involve a file or an I/O device
 - File-system manipulation - The file system is of particular interest. Obviously, programs need to read and write files and directories, create and delete them, search them, list file Information, permission management.



OPERATING SYSTEM SERVICES (CONT)



- One set of operating-system services provides functions that are helpful to the user (Cont):
 - Communications – Processes may exchange information, on the same computer or between computers over a network
 - Communications may be via shared memory or through message passing (packets moved by the OS)
 - Error detection – OS needs to be constantly aware of possible errors
 - May occur in the CPU and memory hardware, in I/O devices, in user program
 - For each type of error, OS should take the appropriate action to ensure correct and consistent computing
 - Debugging facilities can greatly enhance the user's and programmer's abilities to efficiently use the system

OPERATING SYSTEM SERVICES (CONT)



- Another set of OS functions exists for ensuring the efficient operation of the system itself via resource sharing
 - **Resource allocation** - When multiple users or multiple jobs running concurrently, resources must be allocated to each of them
 - Many types of resources - Some (such as CPU cycles, main memory, and file storage) may have special allocation code, others (such as I/O devices) may have general request and release code
 - **Accounting** - To keep track of which users use how much and what kinds of computer resources
 - **Protection and security** - The owners of information stored in a multiuser or networked computer system may want to control use of that information, concurrent processes should not interfere with each other
 - **Protection** involves ensuring that all access to system resources is controlled
 - **Security** of the system from outsiders requires user authentication, extends to defending external I/O devices from invalid access attempts
 - If a system is to be protected and secure, precautions must be instituted throughout it. A chain is only as strong as its weakest link.

USER OPERATING SYSTEM INTERFACE - CLI



Command Line Interface (CLI) or [command interpreter](#) allows direct command entry

- Sometimes implemented in kernel, sometimes by systems program
- Sometimes multiple flavors implemented – [shells](#) (shell is the interface that allows the users to communicate with the kernel)
- Primarily fetches a command from user and executes it
 - Sometimes commands built-in, sometimes just names of programs
 - If the latter, adding new features doesn't require shell modification

USER OPERATING SYSTEM INTERFACE - GUI



- User-friendly **desktop** metaphor interface
 - Usually mouse, keyboard, and monitor
 - **Icons** represent files, programs, actions, etc
 - Various mouse buttons over objects in the interface cause various actions (provide information, options, execute function, open directory (known as a **folder**))
 - Invented at Xerox PARC
- Many systems now include both CLI and GUI interfaces
 - Microsoft Windows is GUI with CLI “command” shell
 - Apple Mac OS X as “Aqua” GUI interface with UNIX kernel underneath and shells available
 - Solaris is CLI with optional GUI interfaces (Java Desktop, KDE)

BOURNE SHELL COMMAND INTERPRETER



The **Bourne shell** is the original UNIX **shell** (command execution program, often called a **command interpreter**) that was developed at AT&T. Named for its developer, **Stephen Bourne**, the **Bourne shell** is also known by its program name, **sh**.

```
Terminal
-rwxr-xr-x 1 bin      18296 Jun  8  1979 fsock
-rwxr-xr-x 1 bin      1458 Jun  8  1979 getty
-rw-r--r-- 1 root      49 Jun  8  1979 group
-rwxr-xr-x 1 bin     2482 Jun  8  1979 init
-rwxr-xr-x 1 bin     8484 Jun  8  1979 mkfs
-rwxr-xr-x 1 bin     3642 Jun  8  1979 mknod
-rwxr-xr-x 1 bin     3976 Jun  8  1979 mount
-rw-r--r-- 1 root     141 Jun  8  1979 passwd
-rw-r--r-- 1 bin       366 Jun  8  1979 rc
-rw-r--r-- 1 bin       266 Jun  8  1979 ttys
-rwxr-xr-x 1 bin     3794 Jun  8  1979 umount
-rwxr-xr-x 1 bin       634 Jun  8  1979 update
-rw-r--r-- 1 bin        40 Sep 22  05:49 utmp
-rwxr-xr-x 1 root    4520 Jun  8  1979 wall
# ls -l /*unix*
-rwxr-xr-x 1 sys     53302 Jun  8  1979 /hphtunix
-rwxr-xr-x 1 sys     52850 Jun  8  1979 /hptmunix
-rwxr-xr-x 1 root    50990 Jun  8  1979 /rkunix
-rwxr-xr-x 1 root    51982 Jun  8  1979 /rl2unix
-rwxr-xr-x 1 sys     51790 Jun  8  1979 /rphtunix
-rwxr-xr-x 1 sys     51274 Jun  8  1979 /rptmunix
# ls -l /bin/sh
-rwxr-xr-x 1 bin     17310 Jun  8  1979 /bin/sh
#
```


SYSTEM CALLS




- Programming interface to the services provided by the OS
- Typically written in a high-level language (C or C++)
- Mostly accessed by programs via a high-level [Application Program Interface \(API\)](#) rather than direct system call use
- Three most common APIs are Win32 API for Windows, POSIX API for POSIX-based systems (including virtually all versions of UNIX, Linux, and Mac OS X), and Java API for the Java virtual machine (JVM)
- Why use APIs rather than system calls?

(Note that the system-call names used throughout this text are generic)

EXAMPLE OF SYSTEM CALLS




- System call sequence to copy the contents of one file to another file



EXAMPLE OF STANDARD API



- Consider the ReadFile() function (fileapi.h) in the Win32 API—a function for reading from a file




- A description of the parameters passed to ReadFile()
 - HANDLE file—the file to be read
 - LPVOID buffer—a buffer where the data will be read into and written from
 - DWORD bytesToRead—the number of bytes to be read into the buffer
 - LPDWORD bytesRead—the number of bytes read during the last read
 - LPOVERLAPPED ovl—indicates if overlapped I/O is being used

SYSTEM CALL IMPLEMENTATION



- Typically, a number associated with each system call
 - System-call interface maintains a table indexed according to these numbers
- The system call interface invokes intended system call in OS kernel and returns status of the system call and any return values
- The caller need know nothing about how the system call is implemented
 - Just needs to obey API and understand what OS will do as a result call
 - Most details of OS interface hidden from programmer by API
 - Managed by run-time support library (set of functions built into libraries included with compiler)


API – SYSTEM CALL – OS RELATIONSHIP



STANDARD C LIBRARY EXAMPLE



- C program invoking printf() library call, which calls write() system call




SYSTEM CALL PARAMETER PASSING



- Often, more information is required than simply identity of desired system call
 - Exact type and amount of information vary according to OS and call
- Three general methods used to pass parameters to the OS
 - Simplest: pass the parameters in *registers*
 - In some cases, may be more parameters than registers
 - Parameters stored in a *block*, or table, in memory, and address of block passed as a parameter in a register
 - This approach taken by Linux and Solaris
 - Parameters placed, or *pushed*, onto the *stack* by the program and *popped* off the stack by the operating system
 - Block and stack methods do not limit the number or length of parameters being passed

PARAMETER PASSING VIA TABLE



TYPES OF SYSTEM CALLS




- Process control
- File management
- Device management
- Information maintenance
- Communications
- Protection

EXAMPLES OF WINDOWS AND UNIX SYSTEM CALLS



	Windows	Unix
Process Control	CreateProcess() ExitProcess() WaitForSingleObject()	fork() exit() wait()
File Manipulation	CreateFile() ReadFile() WriteFile() CloseHandle()	open() read() write() close()
Device Manipulation	SetConsoleMode() ReadConsole() WriteConsole()	ioctl() read() write()
Information Maintenance	GetCurrentProcessID() SetTimer() Sleep()	getpid() alarm() sleep()
Communication	CreatePipe() CreateFileMapping() MapViewOfFile()	pipe() shmget() mmap()
Protection	SetFileSecurity() InitializeSecurityDescriptor() SetSecurityDescriptorGroup()	chmod() umask() chown()

MS-DOS EXECUTION



(a) At system startup (b) running a program

SYSTEM PROGRAMS

- System programs provide a convenient environment for program development and execution. They can be divided into:
 - File manipulation
 - Status information
 - File modification
 - Programming language support
 - Program loading and execution
 - Communications
 - Application programs
- Most users' view of the operation system is defined by system programs, not the actual system calls



SYSTEM PROGRAMS



- Provide a convenient environment for program development and execution
 - Some of them are simply user interfaces to system calls; others are considerably more complex
- File management - Create, delete, copy, rename, print, dump, list, and generally manipulate files and directories
- Status information
 - Some ask the system for info - date, time, amount of available memory, disk space, number of users
 - Others provide detailed performance, logging, and debugging information
 - Typically, these programs format and print the output to the terminal or other output devices
 - Some systems implement a registry - used to store and retrieve configuration information

SYSTEM PROGRAMS (CONT'D)



- File modification
 - Text editors to create and modify files
 - Special commands to search contents of files or perform transformations of the text
- Programming-language support - Compilers, assemblers, debuggers and interpreters sometimes provided
- Program loading and execution- Absolute loaders, relocatable loaders, linkage editors, and overlay-loaders, debugging systems for higher-level and machine language
- Communications - Provide the mechanism for creating virtual connections among processes, users, and computer systems
 - Allow users to send messages to one another's screens, browse web pages, send electronic-mail messages, log in remotely, transfer files from one machine to another

OPERATING SYSTEM DESIGN AND IMPLEMENTATION



- Design and Implementation of OS not “solvable”, but some approaches have proven successful
- Internal structure of different Operating Systems can vary widely
- Start by defining goals and specifications
- Affected by choice of hardware, type of system
- *User goals and System goals*
 - User goals – operating system should be convenient to use, easy to learn, reliable, safe, and fast
 - System goals – operating system should be easy to design, implement, and maintain, as well as flexible, reliable, error-free, and efficient

OPERATING SYSTEM DESIGN AND IMPLEMENTATION (CONT)




- Important principle to separate
 - Policy:** What will be done?
 - Mechanism:** How to do it?
- Mechanisms determine how to do something, policies decide what will be done
 - The separation of policy from mechanism is a very important principle, it allows maximum flexibility if policy decisions are to be changed later

SIMPLE STRUCTURE



- MS-DOS – written to provide the most functionality in the least space
 - Not divided into modules
 - Although MS-DOS has some structure, its interfaces and levels of functionality are not well separated

MS-DOS LAYER STRUCTURE



LAYERED APPROACH



- The operating system is divided into a number of layers (levels), each built on top of lower layers. The bottom layer (layer 0), is the hardware; the highest (layer N) is the user interface.
- With modularity, layers are selected such that each uses functions (operations) and services of only lower-level layers

VIRTUAL MACHINES

- A **virtual machine** takes the layered approach to its logical conclusion. It treats hardware and the operating system kernel as though they were all hardware
- A virtual machine provides an interface *identical* to the underlying bare hardware
- The operating system **host** creates the illusion that a process has its own processor and (virtual memory)
- Each **guest** provided with a (virtual) copy of underlying computer




VIRTUAL MACHINES HISTORY AND BENEFITS




- First appeared commercially in IBM mainframes in 1972
- Fundamentally, multiple execution environments (different operating systems) can share the same hardware
- Protect from each other
- Some sharing of file can be permitted, controlled
- Commutate with each other, other physical systems via networking
- Useful for development, testing
- **Consolidation** of many low-resource use systems onto fewer busier systems
- “Open Virtual Machine Format”, standard format of virtual machines, allows a VM to run within many different virtual machine (host) platforms

VIRTUAL MACHINES (CONT)



(a) Nonvirtual machine (b) virtual machine

VMWARE ARCHITECTURE



OPERATING-SYSTEM DEBUGGING



- **Debugging** is finding and fixing errors, or **bugs**
- OSes generate **log files** containing error information
- Failure of an application can generate **core dump** file capturing memory of the process
- Operating system failure can generate **crash dump** file containing kernel memory
- Beyond crashes, performance tuning can optimize system performance
- Kernighan's Law: "Debugging is twice as hard as writing the code in the first place. Therefore, if you write the code as cleverly as possible, you are, by definition, not smart enough to debug it."

SYSTEM BOOT



- Operating system must be made available to hardware so hardware can start it
 - Small piece of code – **bootstrap loader**, locates the kernel, loads it into memory, and starts it
 - Sometimes two-step process where **boot block** at fixed location loads bootstrap loader
 - When power initialized on system, execution starts at a fixed memory location
 - Firmware used to hold initial boot code

Q/A

- End of Session 2



THANK YOU!